



To find the best degassing unit for your application complete the form below and return to SciPro, email [info@scipro.com](mailto:info@scipro.com)

**Brief description of your application**

[Type here]

<b>Number of channels</b> <i>(recommended one channel per solution)</i>	<input type="checkbox"/> 1 channel	<input type="checkbox"/> 5 channels
	<input type="checkbox"/> 2 channels	<input type="checkbox"/> 6 channels
	<input type="checkbox"/> 3 channels	<input type="checkbox"/> >6 channels
	<input type="checkbox"/> 4 channels	<i>(specify below)</i>

<b>Flow rate per channel</b>	<input type="checkbox"/> 0 – 0.5 ml/min	<input type="checkbox"/> 5 – 15 ml/min
	<input type="checkbox"/> 0.2 – 3 ml/min	<input type="checkbox"/> 10 – 100 ml/min
	<input type="checkbox"/> 3 – 6 ml/min	<input type="checkbox"/> >100 ml/min

<b>Flow characteristic</b>	<input type="checkbox"/> Continuous flow	<input type="checkbox"/> Intermittent flow
----------------------------	--	--

<b>Type of solution</b>	<input type="checkbox"/> Aqueous <i>(water based)</i>	<input type="checkbox"/> Organic	<input type="checkbox"/> Other <i>(specify below)</i>
-------------------------	--	----------------------------------	--

<b>System pressure</b>	<input type="checkbox"/> <1 bar / 14 psi
	<input type="checkbox"/> <3.5 bar / 50 psi
	<input type="checkbox"/> <5 bar / 70 psi

<b>System temperature</b>	[Type here]°C
---------------------------	---------------

<b>Scope of use</b>	<input type="checkbox"/> OEM solution
	<input type="checkbox"/> Stand-alone solution

**Additional comments**

[Type here]